

## Contents of Volume 16

### Number 1

- 1 *In vivo* Tissue/Biomaterials Toxic Responses: Correlation with Cytotoxic Potential but not Cell Attachment  
T. TSUCHIYA, Y. IKARASHI, T. ARAI, J. OHHASHI, K. ISAMA & A. NAKAMURA (Japan)
- 9 Stratigraphic Evaluation of the Collagen Surrounding a Biomaterial Implant  
J. A. M. RAMSHAW, F. CASAGRANDA, J. F. WHITE & J. A. WERKMEISTER (Australia)
- 15 A Comparative Study of Microleakage in Composite Inlays  
H. ABDULLAH & G. J. PEARSON (UK)

### Review Paper

- 21 *In vitro* Evaluation of Dental Materials  
G. L. POLYZOIS (Greece)
- 61 Calendar of Events

### Number 2

- 63 Bending Stiffness of Two Aesthetic Orthodontic Archwires: An *in vitro* Comparative Study  
K. F. LIM, K. K. K. LEW & S. L. TOH (Singapore)
- 73 Peripheral Nerve Regeneration in the Presence of Collagen Fibers: Effect of Removal of the Distal Nerve Stump  
A. H. RIZVI, G. D. PINS & F. H. SILVER (USA)
- 81 Mechanical Characterization of Endoscopic Surgical Staples during an Experimental Hernia Repair  
J. CHARARA, Y.-M. DION & R. GUIDOIN (Canada)
- 91 Validation and Optimization of a Polymer System for Potential Use as a Controlled Drug-Delivery System  
L. DI SILVIO, M. V. KAYSER & S. DOWNES (UK)
- 99 Common Ion Effect on Some Calcium Phosphate Cements  
E. FERNANDEZ, M. G. BOLTONG, M. P. GINEBRA, O. BERMUDEZ,  
F. C. M. DRIESSENS & J. A. PLANELL (Spain)
- 105 The Initial Stability of Cemented and Non-cemented Femoral Stems Fixated with a Bone Grafting Technique  
B. W. SCHREURS, R. HUISKES & T. J. J. H. SLOOFF (The Netherlands)
- 111 The Effect of Methyl Methacrylate Monomer on Latex Gloves  
H. DEVLIN, V. PIDDOCK & I. BROUGH (UK)
- 119 Mechanical Properties of Cellulose in Orthopaedic Devices and Related Environments  
J. POUSTIS, Ch. BAQUEY & D. CHAUVEAUX (France)
- 125 Calendar of Events

**Number 3**

- 127 Biomechanical Studies on Shape Effect of Hydroxyapatite Artificial Root Upon Surrounding Jawbone  
K. NISHIHARA, M. NAKAMURA & S. NAKAGIRI (Japan)
- 137 The Use of Acellular Autologous Skeletal Muscle Grafts in Peripheral Nerve Repair:  
A Morphometrical-Morphological Study  
G. Di BENEDETTO (Italy), F. LASSNER (Germany), M. RICCIO, A. PUGNALONI,  
M. M. TAPPA, G. BIAGINI (Italy), A. BERGER (Germany) & A. BERTANI (Italy)
- 145 Prestresses Around the Acetabulum Generated by Screwed Cups  
M. DALSTRA & R. HUISKES (The Netherlands)
- 155 Accuracy of Titanium Cast Crowns Obtained from Calcia Base Mold  
H. TAKAHASHI, T. MIYAZAKI & T. KAWAWA (Japan)
- 161 Evaluating Materials used for Constructing Soft Earmoulds  
P. B. H. BEGLEY, R. M. BASKER, J. G. TOMKA & G. C. EAST (UK)

**Review Paper**

- 167 Biological Performance of Tantalum  
J. BLACK (USA)
- 175 Calendar of Events

**Number 4**

- 177 Biocompatibility Evaluation of Laser-induced AAm and HEMA Grafted EPR.  
Part 1: In-vitro Study  
H. MIRZADEH, M. T. KHORASANI, A. A. KATBAB (Iran), R. P. BURFORD (Australia), Z. SOHEILI, A.  
GOLESTANI & B. GOLIAEI (Iran)
- 189 Lactate Dehydrogenase Activity as a Rapid and Sensitive Test for the Quantification of Cell Numbers *in vitro*  
M. ALLEN, P. MILLETT, E. DAWES & N. RUSHTON (UK)
- 195 Modelling the Anisotropic Behaviour of Filament Wound Vascular Grafts  
G. HELLENER, D. COHN & G. MAROM (Israel)
- 201 Human Osteoblast Response to PTFE Surfaces  
W. R. WALSH, M. OLMEDO, H. D. KIM, L. ZOU & A.-P. C. WEISS (USA)
- 211 An *in vitro* Study of the Effect of Environment and Storage Time on the Fracture Properties of Bone  
Cement  
J. L. HAILEY, I. G. TURNER & A. W. MILES (UK)
- 217 BOP: Biocompatible Osteoconductive Polymer: An Experimental Approach  
F. BURON, R. BOURGOIS, F. BURNY, C. CHABOTEAUX, J. d'HEMRICOURT,  
S. EL BANNA, J. L. PASTEELS, S. SINTZOFF & A. VIENNE (Belgium)

**Letter to the Editor**

- 223 Product Liability Implications of Biomaterials in the United States  
J. M. PRICE (USA)
- 229 Calendar of Events
- 231 Contents of Volume 16

